

STAINLESS STEEL CLEANING WIPES

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation STAINLESS STEEL CLEANING WIPES
Chemical name
Product-type Mixture
UFI: 2F10-90JP-H008-RG8D

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

- PC35: Washing and cleaning products (including solvent based products).
- Consumer uses: Private households (= general public = consumers)

1.3 - Details of the supplier of the safety data sheet

ECS Cleaning Solutions GmbH
Wolfener Str. 32-34
D-12681 Berlin Germany
Telephone : +49 (0)30 / 36 46 40 36
gunnar.kleinmann@ecsag.com

Distributor

ECS AG
Roosstrasse 53
CH-8832 Wollerau
gunnar.kleinmann@ecsag.com
+41 (0)44 / 787 53 56

1.4 - Emergency telephone number

Giftnotrufzentrale (Österreich)
Tel. No.: +43 1 406 4343

Centar za kontrolu trovanja (Hrvatska)
Tel. No.: +385 1 234 8342

Hotline voor gifbestrijding (Denemarken)
Tel. No.: +45 82 12 12 12

Mürgistusteabekeskus (Eesti)
Tel. No.: +372 794 3794 (või 16662 riiklikku)

ORFILA (INERIS) (France)
Tel. No.: +33 (0) 1 45 42 59 59

Vergiftungs-Informationen-Zentrale (Deutschland)
Notfalltelefon: +49 761 19240

Eitrunarmiðstöð (Ísland)
Tel. No.: +354 543 2222

CAV Milano Niguarda Ca' Granda (Italy)
Tel. No.: +39 02 66101029
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA
Tel. No.: +39 06 68593726

Ionad Faisnéise Náisiúnta Nimheanna (Éire)

STAINLESS STEEL CLEANING WIPES

Tel. No.: +353 (0)1 809 2566 / +353 (0)1 837 9964

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs (Latvia)
Tel. No.: +371 670 42473

Valstybinė vaistų kontrolės tarnyba (VVKT), Apsinuodijimų informacijos biuras (VTI) (Lietuva)
Tel. No.: +370 5 236 20 52

Isptar Mater Dei (Malta)
Tel. No.: +356 2545 0000

Nationaal Vergiftigingen Informatie Centrum (NVIC) (Nederland)
Tel. No.: +31 (0) 30 274 8888

Hjelpetelefon for psykisk helse (Norge)
Tel. No.: +47 22 59 13 00

Instituto Nacional de Emergência Médica (Portugal)
Tel. No.: +351 213 303 271

Servicio de Información Toxicológica (España)
Tel. No.: +34 91 562 04 20

Svensk Giftinformationscentral (Sverige)
Tel. No.: +46 08 331231

Schweizerisches Toxikologisches Informationszentrum (Schweiz)/ Centro svizzero di informazione tossicologica (Svizzera)/ Centre Suisse d'Information Toxicologique (Suisse)
Tel. No.: +41 44 251 51 51
Tox Info Suisse Notrufnummer: 145 (24 Stunden)/ Numero di emergenza Tox Info Suisse: 145 (24 ore)/ Tox Info Suisse Numéro d'urgence: 145 (24h/24)

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Sens. 1	Skin sensitization - Category 1
Asp. Tox. 1	Aspiration hazard - Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Aquatic Chronic 3

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: Hydrocarbons, C11-C12, isoalkanes, <2% aromatics (CAS No.:) | Hydrocarbons, C11-C13, isoalkanes, <2% aromatics (CAS No.:) | Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics (CAS No.:) | (R)-p-mentha-1,8-diene, d-limonene (CAS No.: 5989-27-5)

Signal word : Danger

Hazard pictograms



Hazard statements

STAINLESS STEEL CLEANING WIPES

H304	May be fatal if swallowed and enters airways
H317	May cause an allergic skin reaction
H412	Harmful to aquatic life with long lasting effects

Precautionary statements

P102	Keep out of reach of children.
P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/a doctor.
P302+P352	IF ON SKIN: Wash with plenty of water/water and soap.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container to an appropriate recycling or disposal facility/in an approved treatment center in accordance with local/regional/national/international regulation.

EUH-phrases

EUH066	Repeated exposure may cause skin dryness or cracking
EUH208	Contains citrus sinensis fruit extract (limonene, linalool). May produce an allergic reaction

2.3 - Other hazards

PBT-substance. - This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

vPvB-substance. - This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition / information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	CAS No. : Index No. : EC No. : 927-676-8	>= 30 - <= 60	Asp. Tox. 1 - H304	Not applicable
Chemical name	No	%	Class(es)	Specific concentration limit
White mineral oil (petroleum) INCI: PARAFFINUM LIQUIDUM	CAS No. : 8042-47-5 Index No. : EC No. : 232-455-8 REACH No. : 01-2119487078-27-XXXX	>= 15 - <= 30		Not applicable

STAINLESS STEEL CLEANING WIPES

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	CAS No. : Index No. : EC No. : 918-167-1	>= 15 - <= 30	Asp. Tox. 1 - H304 Flam. Liq. 3 - H226	Not applicable
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	CAS No. : Index No. : EC No. :	>= 15 - <= 30	Asp. Tox. 1 - H304	Not applicable
(R)-p-mentha-1,8-diene, d-limonene INCI: D-LIMONENE	CAS No. : 5989-27-5 Index No. : 601-029-00-7 EC No. : 227-813-5	>= 1 - <= 5	Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412 Asp. Tox. 1 - H304 Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317	M-factor: / 1
2,6-di-tert-butyl-p-cresol INCI: BHT	CAS No. : 128-37-0 Index No. : EC No. : 204-881-4	>= 0.01 - <= 0.1	Aquatic Chronic 1 - H410	Not applicable

SECTION 4: First aid measures

4.1 - Description of first aid measures

Following inhalation

- Provide fresh air.
- When in doubt or if symptoms are observed, get medical advice.

Following skin contact

- After contact with skin, wash immediately with plenty of water and soap.
- In case of skin reactions, consult a physician.

After eye contact

- Rinse immediately carefully and thoroughly with eye-bath or water.
- In case of eye irritation consult an ophthalmologist.

After ingestion

- Rinse mouth thoroughly with water.
- Do NOT induce vomiting.
- When in doubt or if symptoms are observed, get medical advice.

4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation

- No information available.

Symptoms and effects - Following skin contact

- Causes skin irritation.

Symptoms and effects - After eye contact

- No information available.

Symptoms and effects - After ingestion

- No information available.

4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.
- In case an intoxication is suspected, National Poisons Information Centre should be addressed immediately, number of Emergency telephone see in section 1.4.

SECTION 5: Firefighting measures

5.1 - Extinguishing media

Suitable extinguishing media

- ABC-powder
- Carbon dioxide (CO2)
- Foam

STAINLESS STEEL CLEANING WIPES

	- Extinguishing powder
<u>Unsuitable extinguishing media</u>	- Full water jet

5.2 - Special hazards arising from the substance or mixture

<u>Special hazards arising from the substance or mixture</u>	- Remove product from area of fire.
--	-------------------------------------

<u>Hazardous decomposition products</u>	- No information available.
---	-----------------------------

5.3 - Advice for firefighters

- Co-ordinate fire-fighting measures to the fire surroundings.
--

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

<u>For non-emergency personnel</u>	- Avoid breathing dust/fume/gas/mist/vapours/spray. - Avoid contact with skin, eyes and clothes. - Provide adequate ventilation. - Remove persons to safety.
------------------------------------	---

<u>For emergency responders</u>	- Wear breathing apparatus if exposed to vapours/dusts/aerosols.
---------------------------------	--

6.2 - Environmental precautions

- Do not allow uncontrolled discharge of product into the environment.
--

6.3 - Methods and material for containment and cleaning up

<u>Methods and material for containment</u>	- No information available.
---	-----------------------------

<u>Methods and material for cleaning up</u>	- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). - Wash with plenty of water.
---	--

<u>Inappropriate techniques</u>	- No information available.
---------------------------------	-----------------------------

6.4 - Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

<u>Recommendation</u>	- Avoid:Skin contact - Do not breathe gas/fumes/vapour/spray. - Keep container tightly closed.
-----------------------	--

<u>Advices on general occupational hygiene</u>	- Avoid contact with skin, eyes and clothes. - Remove contaminated, saturated clothing immediately. - Wash hands before breaks and after work. - When using do not eat, drink, smoke, sniff.
--	---

STAINLESS STEEL CLEANING WIPES

7.2 - Conditions for safe storage, including any incompatibilities

- Keep container tightly closed in a cool, well-ventilated place.
- Keep away from: Food and feedingstuffs
- Keep locked up and out of reach of children.

7.3 - Specific end use(s)

- Washing and cleaning products

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics

IOELV TWA mg/m3 (UE)	1200 mg/m3
IOELV TWA ppm (UE)	177 ppm

DNEL / PNEC

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)

Type	Value	User	Effect
DNEL long-term oral (repeated)	4.8 mg/kg bw/day	Consumers	Systemic
DNEL long-term inhalative	66.7 mg/m3	Workers	Systemic
DNEL long-term inhalative	16.6 mg/m3	Consumers	Systemic
DNEL long-term dermal	4.8 mg/kg bw/day	Consumers	Systemic
DNEL long-term dermal	9.5 mg/kg bw/day	Workers	Systemic
PNEC aquatic, freshwater	0.014 mg/l		
PNEC aquatic, marine water	0.0014 mg/l		
PNEC sediment, freshwater	3.85 mg/kg		
PNEC sediment, marine water	0.385 mg/kg		
PNEC soil	0.763 mg/kg		
PNEC Secondary Poisoning	133 mg/kg		
PNEC sewage treatment plant (STP)	1.8 mg/l		

White mineral oil (petroleum) (8042-47-5)

Type	Value	User	Effect
DNEL long-term oral (repeated)	25 mg/kg bw/day	Consumers	Systemic
DNEL long-term inhalative	34.78 mg/m3	Consumers	Systemic
DNEL long-term inhalative	164.56 mg/m3	Workers	Systemic
DNEL long-term dermal	93.02 mg/kg bw/day	Consumers	Systemic
DNEL long-term dermal	217.05 mg/kg bw/day	Workers	Systemic

8.2 - Exposure controls

Appropriate engineering controls

Individual protection measures, such as personal protective equipment

- No information available.
- Additional eye protection measures: In case of increased risk, additionally

- DIN EN 166
- Protective gloves according to EN374
- Glove material: Nitrile rubber (0.11 mm).

STAINLESS STEEL CLEANING WIPES

- For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
- Breakthrough time: > 480 min.
- This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.
- For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Environmental exposure controls - No information available.

SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

<u>Physical state</u>	Liquid	<u>Appearance</u>	Liquid
<u>Colour</u>	transparent	<u>Odour</u>	characteristic
Odour threshold		No data available	
pH		No data available	
Melting point		No data available	
Freezing point		No data available	
Boiling point		No data available	
Flash point		No data available	
Evaporation rate		No data available	
flammability		No data available	
Lower explosion limit		No data available	
Upper explosion limit		No data available	
Vapour pressure		No data available	
Vapour density		No data available	
Relative density		No data available	
Density		No data available	
Solubility (Water)		No data available	
Solubility (Ethanol)		No data available	
Solubility (Acetone)		No data available	
Solubility (Organic solvents)		No data available	
Log KOC		No data available	
Auto-ignition temperature		No data available	
Decomposition temperature		No data available	
Kinematic viscosity		No data available	
Dynamic viscosity		No data available	

Particle characteristics

Particle size	No data available
---------------	-------------------

STAINLESS STEEL CLEANING WIPES

Dustiness	No data available
Specific surface area	No data available
Shape	No data available

9.2 - Other information

VOC content	574.83 g/l
Minimum ignition energy	No data available
Conductivity	No data available
VOC Composite Partial Pressure (Calculated @ 20oC/68oF)	No data available
C.A.R.B. V.O.C.	No data available
% Photo Chemically Reactive	No data available

SECTION 10: Stability and reactivity

10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- Heat
- Do not breathe vapour.

10.5 - Incompatible materials

- No information available.

10.6 - Hazardous decomposition products

- Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- Based on available data, the classification criteria are not met.

STAINLESS STEEL CLEANING WIPES

Toxicity : Substances

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics ()	
LD50 oral (rat)	> 5000 mg/kg
LD50 dermal (rabbit)	> 5000 mg/kg
LC50 inhalation (rat)	> 5000 ppmV
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)	
LD50 oral (rat)	> 2000 mg/kg
LD50 dermal (rat)	> 5000 mg/kg
White mineral oil (petroleum) (8042-47-5)	
LD50 oral (rat)	> 5000 mg/kg
LD50 dermal (rabbit)	> 2000 mg/kg
LC50 inhalation dusts and mists (rat)	> 5 mg/l

Skin corrosion/irritation

- Not classified
- Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

- Not classified
- Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

- Skin sensitization - Category 1 - May cause an allergic skin reaction
- May cause sensitization by skin contact.
- May cause an allergic skin reaction.

Germ cell mutagenicity

- Not classified
- Based on available data, the classification criteria are not met.

Carcinogenicity

- Not classified
- Based on available data, the classification criteria are not met.

Reproductive toxicity

- Not classified
- Based on available data, the classification criteria are not met.

STOT-single exposure

- Not classified
- Based on available data, the classification criteria are not met.

STOT-repeated exposure

- Not classified

Aspiration hazard

- Aspiration hazard - Category 1 - May be fatal if swallowed and enters airways

11.2 - Information on other hazards

- This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity : Mixture

STAINLESS STEEL CLEANING WIPES

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

Toxicity : Substances

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)

EC50 48 hr crustacea	0.307 mg/l
LC50 96 hr fish	0.72 mg/l
ErC50 algae	0.32 mg/l
NOEC chronic algae	0.174 mg/l

White mineral oil (petroleum) (8042-47-5)

EC50 48 hr crustacea	> 100 mg/l
LC50 96 hr fish	> 100 mg/l
NOEC chronic crustacea	>= 1000 mg/l
NOEC chronic algae	>= 100 mg/l

- The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	No data available

- No indication of bioaccumulation potential.

12.4 - Mobility in soil

- No information available.

12.5 - Results of PBT and vPvB assessment

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 - Endocrine disrupting properties

- This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 - Other adverse effects

- No information available.

STAINLESS STEEL CLEANING WIPES

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

<u>Waste treatment methods</u>	<ul style="list-style-type: none">- Dispose of waste according to applicable legislation.- Completely emptied packages can be recycled.- Dispose of empty or partially emptied packaging/container/can after appropriate use of the product to municipal waste.- Handle contaminated packages in the same way as the substance itself.
<u>Sewage disposal</u>	- No information available.
<u>Special precautions for waste treatment</u>	- No information available.
<u>Community or national or regional provisions</u>	- No information available.

SECTION 14: Transport information

14.1 - UN number or ID number

Not applicable

14.2 - UN proper shipping name

Not applicable

14.3 - Transport hazard class(es)

Not applicable

14.4 - Packing group

Not applicable

14.5 - Environmental hazards

Not applicable

14.6 - Special precautions for user

Not applicable

14.7 - Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Substances REACH candidates</u>	None
<u>Substances Annex XIV</u>	None
<u>Substances Annex XVII</u>	None
<u>VOC content</u>	574.83 g/l

- – COMMISSION REGULATION (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII thereto. The Regulation has been published in the Official Journal of the European Union No. L 168/5 on 21 June, 2006;

STAINLESS STEEL CLEANING WIPES

- – COMMISSION REGULATION (EU) 2016/918 of 19 May 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures. The Regulation has been published in the Official Journal of the European Union No. L 156, on 14 June, 2016;
- – COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (OJ L 203, 26.6.2020, p. 28–58);
- – On 16 December 2008 the Regulation (EC) No. 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of chemical substances and mixtures was undersigned. The said Regulation amended and repealed the directives 67/548/EEC and 1999/45/EC and Regulation (EC) No. 1907/2006 (the REACH Regulation). The Regulation has been published in the Official Journal of the European Union No. L 353, volume 51 on 31 December, 2008;
- – REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents (OJ L 104/1, 8.4.2004, p.001-0035);
- – Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No.793/93, Commission Regulation (EC) No. 1488/94, Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union No. L 396, 30-12-2006, error correction – No. L 136/3, 2007-5-29);
- Swiss Regulations: Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Regulation (EC) No. 648/2004 (Detergents regulation)

Contains:

- 30% or more: hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics, hydrocarbons, C11-C13, isoalkanes, <2% aromatics, hydrocarbons, C11-C12, isoalkanes, <2% aromatics
- 30% or more: PARAFFINUM LIQUIDUM
- less than 5 %: CITRUS SINENSIS FRUIT EXTRACT (LIMONENE, LINALOOL)
- less than 5 %: BHT

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No information available.

SECTION 16: Other information

SDS versions

Version	Issue date	Author	Description of the amendments
1	12/04/2023		

Abbreviations and acronyms

- ACGIH – Association advancing occupational and environmental health.
- ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
- ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road.
- CAS – Chemical Abstracts Service number.
- CEN – European Committee for Standardisation.
- EC50 – Effective concentration to 50% of a test population (half maximal effective concentration).
- IC50 – Inhibitory concentration to 50% of a test population (half maximal inhibitory concentration).
- IMDG – International Maritime Dangerous Goods.

STAINLESS STEEL CLEANING WIPES

- IMO – International Maritime Organization.
- LC50 – Lethal Concentration to 50 % of a test population.
- LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose).
- MSDS – Material Safety Data Sheet.
- NIOSH – National Institute of Occupational Safety and Health.
- NOEC – No effect concentration.
- PBT – Persistent, Bioaccumulative and Toxic substance.
- PNEC(s) – Predicted No Effect Concentration(s).
- RID – Regulations concerning the International Carriage of Dangerous Goods by Rail.
- STOT – Specific Target Organ Toxicity.
- vPvB – Very Persistent and Very Bioaccumulative.

Data sources:

European Chemicals Agency (ECHA)
European Chemicals Bureau (ECB)
International Laboratories Organization (ILO)

Texts of the regulatory sentences

Aquatic Acute 1	Hazardous to the aquatic environment - Aquatic Acute 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Aquatic Chronic 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Aquatic Chronic 3
Asp. Tox. 1	Aspiration hazard - Category 1
Flam. Liq. 3	Flammable liquid and vapour. - Category 3
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
Skin Irrit. 2	Irritation, Category 2
Skin Sens. 1	Skin sensitization - Category 1
Skin Sens. 1B	Skin sensitization - Category 1B

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*** **